


# *Kjellberg*<sup>®</sup> **FINSTERWALDE**

## Instruction manual



**Q-Desk**  
**the Human Machine Interface (HMI)**  
**for plasma cutting units of the Q-series**

Rev.-No.: 2.3 - 04.05.2023

### **Copyright**

The reproduction, distribution, and utilization of this document as well as the communication of its contents to others without express authorization is prohibited. Offenders will be held liable for the payment of damages. All rights reserved in the event of the grant of a patent, utility model or design.

Subject to alterations.

© Kjellberg Finsterwalde Plasma und Maschinen GmbH, 2023

Kjellberg Finsterwalde Plasma und Maschinen GmbH  
Oscar-Kjellberg-Straße 20  
DE - 03238 Finsterwalde

Tel.: +49 3531 500-0  
Fax.: +49 3531 500-299  
E-Mail: [plasma@kjellberg.de](mailto:plasma@kjellberg.de)  
Web: [www.kjellberg.de](http://www.kjellberg.de)

**Contents**

<b>1</b>	<b>Q-Desk</b> .....	<b>4</b>
1.1	Terms .....	4
1.2	Figures .....	4
1.3	Commissioning Q-Desk .....	5
1.4	License conditions .....	6
1.5	Access of the Q-Desk via WLAN .....	8
1.6	Add the Q-Source to a network .....	9
<b>2</b>	<b>Start Page</b> .....	<b>10</b>
2.1	Detailed Information about the components .....	12
<b>3</b>	<b>Settings</b> .....	<b>15</b>
3.1	Complex name .....	16
3.2	Energy saving .....	17
3.3	CNC control mode .....	18
3.4	Network settings .....	19
3.4.1	Remote maintenance .....	20
3.5	Time .....	24
<b>4</b>	<b>Cutting parameter</b> .....	<b>25</b>
4.1	Process parameter .....	25
4.2	Cutting data finder .....	27
4.3	Cutting database version .....	29
<b>5</b>	<b>Help</b> .....	<b>30</b>
<b>6</b>	<b>Energy efficiency</b> .....	<b>31</b>
<b>7</b>	<b>Service</b> .....	<b>32</b>
7.1	Update .....	32
7.1.1	Update via USB .....	33
7.1.2	Update via Upload .....	33
7.1.3	Configure/ delete update packages .....	34
7.1.4	Synchronisation of system components .....	34
7.2	Remote maintenance .....	34
7.3	Creating log files .....	35
<b>8</b>	<b>Maintenance</b> .....	<b>36</b>
<b>9</b>	<b>Quick start</b> .....	<b>38</b>
<b>10</b>	<b>Index</b> .....	<b>39</b>

## **1 Q-Desk**

the Human Machine Interface (HMI) for plasma cutting units of the Q-series

### **1.1 Terms**

#### Terminal

Notebook, PC or tablet with Ethernet connection or WLAN capability

#### CNC

Control of the guiding system

#### HMI

**Human Machine Interface** is the user interface for the interaction with the plasma cutting systems of the Q series.

The HMI is hereinafter called Q-Desk, see definition Q-Desk.

#### MQTT

**Message Queuing Telemetry Transport** is an open network protocol for machine-to-machine communication that enables the transmission of telemetry data in the form of messages between devices, despite high delays or limited network speed.

#### Q 3000 / Q-Source

Power source of the Q series

The name Q 3000/ Q-Source is hereinafter used representative of all types of the Q series.

#### Q-Desk

Is the name for the HMI of the plasma cutting systems of the Q series, see definition HMI

The Q-Desk is accessible through a web browser.

#### Q-Gas

Gas console of the plasma cutting systems of the Q series, hereinafter called Q-Gas

#### Q-Port

Plasma torch connection unit (PBA) of the plasma cutting systems of the Q series, hereinafter called Q-Port

#### Q-Torch

Plasma torch of the plasma cutting systems of the Q series, hereinafter called Q-Torch

### **1.2 Figures**

All figures are exemplary and show a possible configuration of the Q-Desk.


### 1.3 Commissioning Q-Desk

**INFORMATION**



The activities described in the following should be carried out by a suitably qualified person, e. g. a network administrator.

To access the Q-Desk, connect a terminal with RJ45 Ethernet connection to the rear port X306 of your Q-Source.



**Fig. 1: Internal operating mode**

Make sure that your terminal has not already been connected to another network but is exclusively connected to the Q-Source.

Select from the network configuration of your terminal: Obtain IP address automatically (DHCP). Your terminal is now assigned an IP address from the range between 192.168.5.10 and 192.168.5.30.

If your terminal does not obtain an IP address, carry out the following network configuration on your terminal:

IP-address:            192.168.5.10  
 Network mask:        255.255.255.0  
 Gateway:             192.168.5.1


Open the following link in your web browser: <http://192.168.5.1>  
 or via <http://q.desk>

(This is the default address of the service network of Q-Source. It can only be accessed by connecting directly to the Service USB/ETH port (X303/305) under the front flap.)

The Q-Desk is tested with the following browsers:        Firefox 61.0  
    Google Chrome 74  
    (further browsers to follow)

Please use a Firefox version higher than 61.0 or Google Chrome version higher than 74.

## 1.4 License conditions



**Fig. 2: License conditions Q-Desk**

By clicking on „accept/akzeptieren“ you acknowledge that you have read and understood the license conditions of the open source software and the terms for the manufacturer's own software and agree to those terms and conditions. You are then taken to the "Settings" page for network setup.

The Q-Desk “settings page” appears:

The screenshot displays the Q-Desk settings interface for a Q-3000 device. At the top, there is a navigation bar with the device name 'Q-3000', a 'Ready' status indicator, and several utility icons. The main content area is titled 'Settings' and is organized into several sections:

- Complex name:** A 'Configure' button is on the left, and the current value 'Complex name: Q-3000' is on the right.
- Energy saving:** A 'Configure' button is on the left. The status is 'Energy saving: Enabled' (highlighted in green). Below it, 'Current energy saving time: 60 Minutes' is displayed.
- Control mode:** A 'Configure' button is on the left. The current mode is 'Control mode: EtherCAT'. Below this is a table:
 

Parameter	Value
Explicit device id	0x1
- Network:** 'Configure' and 'Reload' buttons are on the left. The configuration details are:
 

Network configuration	Extern-DHCP
IP address	172.17.111.16/16
MAC address	00:05:B6:06:6E:F3
- MQTT:** 'Configure' and 'Deactivate' buttons are on the left. A blue informational box states: 'Settings can be made here to connect the machine with an external MQTT broker. The data of the Q is sent to a server via the network.' Below this is an 'MQTT connection test' section with a 'Check connection' button and a description: 'Perform a connection test to the MQTT broker.' The test fields are:
 

Broker IP/Hostname	192.168.96.50	The IP/hostname of the MQTT broker.
Broker port	1883	The port of the MQTT broker.
Broker username		The MQTT username.
Broker password		The MQTT password.

Fig. 3: settings page of Q-Desk

**Q-Desk**


**1.5 Access of the Q-Desk via WLAN**

To access the Q-Desk from a terminal with WLAN capability you will additionally need a standard access point router.

Connect the router to the Q-Source as described in the previous section and carry out the same settings.

Configure the WLAN network as follows:

The access point router creates an additional network, e.g. 172.30.2.0/24, via which the terminal connects itself.




Please make sure that the access point router does not create one of the following networks:

**192.168.5.0/24**

These networks are reserved by the Q-Source.




### 1.6 Add the Q-Source to a network



**Fig. 4: Integration of the cutting system in an existing network**

Please make sure that your DHCP server does not assign IP addresses in the 192.168.2.0 and 192.168.5.0 network, otherwise the system may have problems accessing the network.

Connect the power source at the rear connection X307 with your router. When delivered, the cutting system determines the network configuration via DHCP client at system startup. This requires that your network has a DHCP server.

Set a connection to the Q-Desk (192.168.5.1) with a connected terminal at the rear port (X306) and open the page settings via the icon .

Under the section Network, you will find the determined network settings, where you can reach the plasma power source at your network. If you see an IPv6 address there, the router could not obtain an IPv4 address from the DHCP server.

If the plasma cutting system does not obtain an IP address, make the network settings manually. When changing the setting from static IP address to a DHCP address, the machine must be restarted.

You can reach the Q-Desk via the Q-Source assigned IP address:

Network	
<a href="#">Configure</a>	Network Configuration Extern-DHCP
<a href="#">Reload</a>	IP Address 172.17.10.113/16
	MAC Address 00:05:B6:08:12:51

**Fig. 5: Network settings e. g. Retrieve the Q-Desk**

2 Start Page


























Fig. 6: Start Page

1	Start page				
2	Settings: network, system time				
3	Help: FAQ, maintenance instructions, white papers				
4	Energy efficiency: electrical energy, process gases				
5	Service: software update, remote maintenance				
6	Maintenance information, gas pressure test				
7	Overview of the currently selected cutting parameters				
8	Set value display for cutting voltage and cutting current				
9	Link to detailed cutting parameters, set of consumables and cutting data finder				
10	Cutting data finder: Selection of cutting data, cutting history				
11	Link to detailed information of Q-Source		power source		
12	colored status indicator	 Standby 	 Ready 	 Error 	 Danger 
13	verbal status display of the component	 Loading 	 Maintenance 	 Initialization 	 Wait for coolant flow 
		 Dataset Wait 			
14	colored display of the maintenance status and link to the detailed maintenance information				
	 no maintenance required	 maintenance soon due	 maintenance required		
15	Link to detailed information of CNC		guiding system		
16	Link to detailed information of Q-Gas		plasma gas console		
17	Link to detailed information of Q-Port		plasma torch connection unit		
18	Link to detailed information of Q-Desk		Tablet or laptop or PC connected to the power source via Wi-Fi or LAN		
19	Link to detailed information of Q-Torch		plasma torch		
20	Display via connection to the torch				
21	Cutting data finder (Selection of cutting data sets and selection of cutting database version)				
22	Detailed information (Link to detailed information of components)				
23	Status indicator (see 12 and 13)				

2.1 Detailed Information about the components

**Q-Source 3000**



Status >

Technical data v

Manual v

Component information v

Log v

Standby

Fig. 7: Detailed information, display example: power source Q-Source

Status	Q-Source
Last error	E-111 Communication Ethernet - PC
Cutting current	0 A
Cutting voltage	0 V
Conductor voltage	391 V
Door switch Q-Source	<span style="background-color: #4caf50; color: white; padding: 2px 10px; border-radius: 3px;">OK</span>
Coolant pressure switch	<span style="background-color: #004a6b; color: white; padding: 2px 10px; border-radius: 3px;">Standby</span>
Coolant fill level	<span style="background-color: #4caf50; color: white; padding: 2px 10px; border-radius: 3px;">OK</span>
Coolant temperature	<span style="background-color: #4caf50; color: white; padding: 2px 10px; border-radius: 3px;">31.0 °C</span>
Coolant flow	<span style="background-color: #4caf50; color: white; padding: 2px 10px; border-radius: 3px;">9.3 l/min</span>
Fan T1	<span style="background-color: #004a6b; color: white; padding: 2px 10px; border-radius: 3px;">Standby</span>
Operation mode	Manually
CAN	<span style="background-color: #4caf50; color: white; padding: 2px 10px; border-radius: 3px;">OK</span>
Ethernet	<span style="background-color: #4caf50; color: white; padding: 2px 10px; border-radius: 3px;">OK</span>

Fig. 8: Detailed information, display example: power source Q-Source – “Status“

Technical data	Q-Source
Mains voltage	3~ +PE 380-400 V (±10 %) 50/60 Hz
Connecting load	max. 72 kVA (100 % ED)
Fuse slow	T 125 A
Cutting current	20 – 300 A
Marking current	5 – 60 A
Arc voltage (100%)	82 - 200 V
Duty cycle	100 % at 300 A
Weight	297 kg
Dimensions (L x W x H)	1100 x 690 x 1430 mm with undercarriage castors and wheels

Fig. 9: Detailed information, display example: power source Q-Source – “Technical Data“


Manual	Q-Source
Q-Series.pdf (Q-Unit 3000)	

Fig. 10: Detailed information, display example: power source Q-Source – “Link to instruction manual“

Component information			Q-Source
	Hardware version	Software version	Serial number
Q-Source 3000	2.1	1.6.0.8	1900504
M2MI	2.4	1.6.0.70	
GUIDE	1.1	1.6.0.29	
Router	5	5.0/G_FW5	18684181
Power module 1	3.0	6.38.1.0	

Fig. 11: Detailed information, display example: power source Q-Source – “Component information”

Log			Q-Source
Date	Error code	Error description	
2022-02-08 08:46:02	103	communication CAN - Q-Port	
2022-02-08 08:45:41	103	communication CAN - Q-Port	
2022-02-08 08:45:39	103	communication CAN - Q-Port	
2022-02-08 07:20:23	121	PA ON in error end	
2022-02-08 06:59:04	121	PA ON in error end	
2022-02-07 16:07:27	120	emergency stop	
2022-02-07 14:38:54	121	PA ON in error end	
2022-02-07 13:18:09	121	PA ON in error end	
2022-02-07 07:30:20	121	PA ON in error end	
2022-02-04 12:57:04	120	emergency stop	

Log entries with error codes, error description, date, time

Fig. 12: Detailed information, display example: power source Q-Source – “Log”

### 3 Settings

On this page you can make settings for your power source.

The screenshot displays the 'Settings' page for a Q-3000 power source. At the top, there is a navigation bar with the device name 'Q-3000', a 'Ready' status indicator, and several utility icons. The main content area is divided into several sections:

- Complex name:** A 'Configure' button is on the left, and the current name 'Complex name: Q-3000' is on the right.
- Energy saving:** A 'Configure' button is on the left. The status is 'Energy saving: Enabled' (highlighted in green). Below it, it says 'Current energy saving time: 60 Minutes'.
- Control mode:** A 'Configure' button is on the left. The current mode is 'Control mode: EtherCAT'. Below this is a table:
 

Parameter	Value
Explicit device id	0x1
- Network:** 'Configure' and 'Reload' buttons are on the left. The configuration table is:
 


Network configuration	Extern-DHCP
IP address	172.17.111.16/16
MAC address	00:05:B6:06:6E:F3
- MQTT:** 'Configure' and 'Deactivate' buttons are on the left. A blue box contains the text: 'Settings can be made here to connect the machine with an external MQTT broker. The data of the Q is sent to a server via the network.' Below this is an 'MQTT connection test' section with a 'Check connection' button and a description: 'Perform a connection test to the MQTT broker.' The test fields are:
 

Broker IP/Hostname	192.168.96.50	The IP/hostname of the MQTT broker.
Broker port	1883	The port of the MQTT broker.
Broker username		The MQTT username.
Broker password		The MQTT password.

Fig. 13: Overview of the page "Settings"

### 3.1 Complex name


You can identify the plasma cutting machine by the complex name in the network. You can change the complex name, when you click the button "Configure" at the setting page and enter your desired complex name in the dialog box.



The screenshot shows a dialog box titled "Complex name". On the left side, there are two dark blue buttons: "Cancel" and "Confirm". On the right side, there is a text input field with the placeholder text "Please insert a new complex name." and the value "Q-1500" entered. Below the input field, a light green message box contains the text: "The entered complex name is valid. Please click 'Confirm' now."

**Fig. 14: Selection of the complex name**

Then click on "Confirm" and wait until the settings are accepted.




The screenshot shows a confirmation dialog box. On the left, the text "Complex name" is visible. A large light green message box in the center contains the text: "The complex name was changed successfully." Below the message box is a dark blue button labeled "Ok".

**Fig. 15: successful accepting of the complex name**



### 3.2 Energy saving


In the Energy Saving area, the automatic energy saving time of the machine and the activation/deactivation of the energy saving mode can be configured




**Fig. 16: Overview energy saving**

To make a change, click on "Configure". Afterwards, you can activate or deactivate the energy-saving mode via a switch.


Furthermore, the energy saving time can be set in minutes. The default value here is 20 minutes. Values from 5 to 60 minutes are allowed. Then click on "Confirm" to apply the settings. The machine must then be restarted so that the new energy saving settings are applied. One minute before the energy saving time expires, the Q Desk will display a warning that the machine is about to switch to energy saving mode.



**Fig. 17: Settings energy saving**



**Fig. 18: Settings energy saving valid**



**Fig. 19: Settings energy saving applied**

## Settings


### 3.3 CNC control mode

Configure the CNC control mode to your cutting system under the following setting. Click “Configure” to choose between the 2 control modes.



**Fig. 20: current CNC control mode: manual**

control mode	description
Manually	Control of the CNC via the interfaces X302/X304
EtherCAT	Control of the CNC via the interfaces X308/X309




**Fig. 21: Selection of operating mode**

The settings of the control mode are made after restart of the cutting system.

#### Control mode EtherCAT

For the operation of the EtherCAT control mode, make the settings to the parameter **explicit device id** or **configured station alias**.



**Fig. 22: EtherCAT-parameter settings**

Then click on “Confirm”. The changes take effect after the cutting system has been restarted.

### 3.4 Network settings

Under the section "Network" you will find the current configuration of the network setting at connection X306 of your cutting system. This connection allows you to integrate your cutting system into an Ethernet-network.



**Fig. 23: Network settings: extern-DHCP, Display of the IP and MAC address**

Click on "Configure" to choose between the following settings:

Extern-DHCP	The cutting system determines the network settings using a DHCP server. Make sure your network is capable of doing that.										
Extern-static	<p>Make the network settings for IP address, network mask, gateway and DNS server manually.</p> <p>The screenshot shows a 'Network' dialog box with 'Confirm' and 'Cancel' buttons. It contains a table for manual settings:</p> <table border="1"> <tr> <td colspan="2">Make the following network settings:</td> </tr> <tr> <td>IP address (IPv4)</td> <td>172.17.10.113</td> </tr> <tr> <td>Netmask (CIDR Suffix)</td> <td>/16</td> </tr> <tr> <td>Gateway/Router (IPv4)</td> <td>192.168.22.1</td> </tr> <tr> <td>DNS (IPv4)</td> <td>1.1.1.1</td> </tr> </table> <p>A green message box at the bottom states: "The network configuration is correct, please click 'Confirm' now."</p>	Make the following network settings:		IP address (IPv4)	172.17.10.113	Netmask (CIDR Suffix)	/16	Gateway/Router (IPv4)	192.168.22.1	DNS (IPv4)	1.1.1.1
Make the following network settings:											
IP address (IPv4)	172.17.10.113										
Netmask (CIDR Suffix)	/16										
Gateway/Router (IPv4)	192.168.22.1										
DNS (IPv4)	1.1.1.1										

After clicking on "Confirm" the configurations are made. Wait for the process to complete. If you select the Extern-DHCP configuration, the cutting system must be restarted.

## Settings

### 3.4.1 Remote maintenance

The cutting system can establish a VPN connection to Kjellberg customer support via the connection X306 with an existing internet connection. To set up the connection, the following settings are required on your firewall.

Direction	Protocol	Port	Service
OUTPUT	UDP	2392	OpenVPN channel

Please ensure that ping requests are not blocked by your IT department.

### MQTT

Here the power source can be connected to an external MQTT broker to send plant data.

**Fig. 24: Settings MQTT**

In order to establish a connection, the "Configure" button must be clicked. Then the fields "Broker IP/Hostname" and "Broker Port" must be filled in. The fields "Broker username" and "Broker password" are optional and can also be left empty.

Now enter the "IP address" or the "Hostname" of your MQTT broker as well as the "Port". This is 1883 by default. Then click the "Confirm" button to apply the settings.

**Fig. 25: Configure MQTT settings**

If everything was successful, you will see the settings interface with the new configuration. Otherwise, an error message appears.

**Fig. 26: Settings MQTT successfully adopted**

If all settings have been made, you can now perform a connection test to the MQTT broker by clicking on the "Check connection" button. If the test is successful, you will receive a message that the connection could be established, otherwise an error message. In the latter case you should check the settings again or check if the port is blocked by a firewall.


Via the button "Deactivate" you can deactivate the MQTT service of the power source. No more data will be sent to the MQTT broker.

**Fig. 27: Settings check MQTT connection / enable & disable service**

## Settings

### Network security

An encrypted communication between the Q-Desk and your terminal allows the call.




**Fig. 28: settings network security**

In order to download a valid certificate, you must first click on the "Configure" button and then click on the "Reissue certificate" button in the "security" tab. This will create a new certificate with a validity of one year. Afterwards you can save it on your client by clicking on the button "Download CA certificate". Restart the system.




**Fig. 29: settings network security**

In order for your browser to trust Kjellberg cutting machines, download the Kjellberg-CA-certificate and import it as a certification authority in your browser.



**Fig. 30: Import the Kjellberg-CA-certificate in the Firefox browser**

After calling up the Q-Desk with the https protocol (e.g. https://192.168.12.6) again, the encryption symbol with a green lock appears in the address bar of your browser.




**Fig. 31: Import the Kjellberg-CA-certificate in the Firefox browser**

## Settings

### 3.5 Time


A correctly set time is required to operate the Q-Desk.



**Fig. 32: Setting system time, display of time**

#### Date/Time:

Please set the date on the setting page system time.



**Fig. 33: setting system time, selection of the date**

After selecting the "Next" button, you can set the time.



**Fig. 34: Setting system time, setting the time**

After pressing the "Confirm" button, your selection will be accepted.



## 4 Cutting parameter

### 4.1 Process parameter

You will receive a detailed view of the selected cutting data set and the required consumables by clicking the "Configure" button on the start page. If the button is deactivated, no record is loaded. Then select a data record with the help of the cutting data finder.








Parameter

[Choose cutting data](#)

[Configure](#)

#### Process parameter

Material	Stainless steel 1.4301 CrNi	Kerf	0.0 mm
Thickness	-	Ignition height	4.5 mm
Technology	Q-Mark	Cutting height	4.5 mm
Cutting current	45 A	Pierce height	4.5 mm
Cutting speed	3500 mm/min	Cutting voltage	57 V
		Pierce time	0.0 s
		Down slope	50 ms
		Record number	135
		Version	4

Cooling tube	Cathode	Gas guide	Nozzle	Nozzle cap	Swirl gas cap	Protection cap
E963	E065	E1699	E2625	E3218	E4235	E501
						
.11.858.461.143	.11.858.461.550	.11.858.461.1499	.11.858.461.625	.11.858.421.1618	.11.858.421.1535	.11.858.401.131

**Fig. 35: page process parameter**

For the cutting data finder, click on the "Choose cutting data" button or via the "Cutting data finder" icon in the menu bar, to load a new cutting data set.

## Cutting parameter

By pressing the button "Configure" you can edit the process parameters current and gas pressures of the currently loaded data set.

Parameter

Confirm

Cancel

Process parameter

Material	Stainless steel 1.4301 CrNi	Kerf	0.0 mm	gas	Pressure
Thickness	-	Ignition height	4.5 mm	ZG	Ar
Technology	Q-Mark	Cutting height	4.5 mm	WG1	N <sub>2</sub> 4.0 bar
Cutting current	45 A	Pierce height	4.5 mm		
Cutting speed	3500 mm/min	Cutting voltage	57 V		
		Pierce time	0.0 s		
		Down slope	50 ms		
		Record number	135		
		Version	4		

**Fig. 36: configure the process parameters**

Green marked cutting parameters are within valid limits. If the cutting parameters are outside the limits, these are marked in red and a transfer of the configuration is not possible. Click the "Confirm" button to modify the cutting data set according to your changes. Follow the menu guidance of the record change

### INFORMATION



**Changes and manual loading of a cutting data set are only possible in manual-control mode.**

## 4.2 Cutting data finder

With the help of the cutting data finder, you can choose from your cutting data sets.

Q-3000

Kjellberg  
FINSTERWALDE

0 Bereit Administrator

Cutting database version

Please select a version.

4 — 5 4 3 2 1

Cutting data finder

Please choose your material to be cut.

Mild steel Stainless steel Aluminium — 1

Cutting history

#	Material	Thickness	Cutting current	Technology	Cutting speed	Gases	Consumables
135	Stainless steel 1.4301 CNI	-	45 A	Q-Mark	3500 mm/min	Z3 Ar WG1 N <sub>2</sub> 4.0 bar	Cooling tube E 963 Gas guide E 1699 Nozzle E 2625 Nozzle cap E 3218 Protection cap E 4235 Swift gas cap E 4235
4	Mild steel 1.0330 DC01	3 mm	300 A	Contour Cut	1200 mm/min	Z3 PG1 WG1 WG2 Ar O <sub>2</sub> 8.0 bar O <sub>2</sub> 3.0 bar Ar 3.3 bar	Cooling tube E 963 Gas guide E 1699 Nozzle E 2625 Nozzle cap E 3218 Protection cap E 501
135	Stainless steel 1.4301 CNI	-	30 A	Q-Mark	3500 mm/min	Z3 Ar WG1 N <sub>2</sub> 4.0 bar	Cooling tube E 963 Gas guide E 1699 Nozzle E 2625 Nozzle cap E 3218 Protection cap E 501
100	Stainless steel 1.4301 CNI	5 mm	80 A	HIFinox	2500 mm/min	Z3 PG2 WG1 Ar N <sub>2</sub> /H <sub>2</sub> 8.0 bar N <sub>2</sub> 5.0 bar	Cooling tube E 963 Gas guide E 1699 Nozzle E 2625 Nozzle cap E 3218 Protection cap E 501
123	Stainless steel 1.4301 CNI	30 mm	300 A	Ar/H2 Mix	950 mm/min	Z3 PG1 PG2 WG1 Ar N <sub>2</sub> 8.0 bar H <sub>2</sub> 7.5 bar N <sub>2</sub> 6.0 bar	Cooling tube E 963 Gas guide E 1699 Nozzle E 2625 Nozzle cap E 3218 Protection cap E 501

Fig. 37: Cutting data finder and cutting history

- 1 Selection of the cutting data set to be loaded via selection menu
- 2 Overview of the 10 last cut cutting values
- 3 The basic data set was edited by the blue marked parameters.
- 4 Selection of the cutting database version.

### Selection of cutting data

Select the material to be cut.

Cutting Data Finder

Please choose your material to be cut.

Mild Steel Stainless Steel Aluminium

Fig. 38: Cutting data finder, selection of the material to be cut

## Cutting parameter

Select the thickness of the material to be cut from the following selection.

Cutting Data Finder

Back

Material  
Mild Steel

Please choose your material thickness.

0.5 mm	0.8 mm	1 mm	1.5 mm	2 mm	3 mm	4 mm	5 mm	6 mm	8 mm	10 mm	12 mm	15 mm
20 mm	25 mm	30 mm	35 mm	40 mm	50 mm	60 mm	70 mm	80 mm				

**Fig. 39: Cutting data finder, selection of material thickness**

Based on their selection, an overview of possible cutting technologies follows.

Cutting Data Finder

Back

Material  
Mild Steel

Thickness  
0.5 mm

Please choose your cutting technology.

Contour Cut    Q-Mark    Q-Notch    Q-Notch+

**Fig. 40: Cutting data finder, selection of cutting technology**

After selecting the cutting technology, you will receive an overview of the possible cutting data sets as well as the required consumables.

Cutting Data Finder

Back

Confirm

Cancel

Material  
Mild Steel

Thickness  
0.5 mm

Technology  
Contour Cut

Please choose one of the listed records

#	Material	Thickness	Cutting Current	Technology	Quality	Cutting Speed	Gases	Consumables
1	Mild Steel 1.0330 DC01	0.5 mm	20 A	Contour Cut	B	6000 mm/min	ZD Air POL WG O <sub>2</sub> 5.5 O <sub>2</sub> 2.5 bar	Cooling Tube E 902 Gas Guide E 1034C Nozzle Cap E 3014P Protection Cap E 501


Cooling Tube	Cathode	Gas Guide	Nozzle	Nozzle Cap	Swirl Gas Cap	Protection Cap
E902	E012	E1034C	E2007	E3014P	E4020	E501
11.858.401.142	11.858.411.320	11.858.401.1434C	11.858.401.407	11.858.401.1614P	11.858.401.1520	11.858.401.131

**Fig. 41: Cutting data finder, selection of the cutting data set**

Click on the "Confirm" button to start loading the determined cutting data set. Follow the menu.

### 4.3 Cutting database version

With the help of the cutting data version, you can select a cutting database version to be activated. You must confirm the change of cutting database version via a dialog.



**Fig. 42: Select cutting database version**

## 5 Help

On the page "Help" you will find hyperlink to the Helpcentre Q and information about the open source licenses of your cutting system.




Fig. 43: Helpcentre Q and licenses

## 6 Energy efficiency





Fig. 44: Energy efficiency with electrical energy and process gases

1	Detailed display of energy consumption in kWh over the observation period		
2	Detailed display of gas consumption in sl over the observation period		
3	Summarized presentation of consumption values over the observation period		
4	Menu for selecting the period of observation		
	<table border="1"> <tr> <td> </td> <td> <p>A) Selection of the current day</p> <p>B) Selection of the day</p> <p>C) Selection of the calendar week</p> <p>D) Selection of the month</p> <p>E) Selection of the year</p> <p>F) Navigation month / year, forward / backward</p> </td> </tr> </table>		<p>A) Selection of the current day</p> <p>B) Selection of the day</p> <p>C) Selection of the calendar week</p> <p>D) Selection of the month</p> <p>E) Selection of the year</p> <p>F) Navigation month / year, forward / backward</p>
	<p>A) Selection of the current day</p> <p>B) Selection of the day</p> <p>C) Selection of the calendar week</p> <p>D) Selection of the month</p> <p>E) Selection of the year</p> <p>F) Navigation month / year, forward / backward</p>		

## 7 Service

On the service page, you can install software packages and connect to Kjellberg customer support.



### 7.1 Update

In the Update range, the name of the installed update package of the system appears. Furthermore, new updates can be uploaded to the system here.

To install an update, the system must be switched on and all subcomponents must be connected. However, the system must not cut or mark.

After the update was successful, the system restarts.

Do not turn off the system during the update, otherwise data may be lost.

#### INFORMATION



**If the system is not updatable, a charge animation will be displayed instead of the installed update package.**

#### INFORMATION



**Only update packages can be installed which are located on the system! The update can be copied to the system via USB stick or uploaded to the system.**



### 7.1.1 Update via USB

You are on the "Service" page under the section "Updates".

To transfer the update package to the system, first select the "Update via USB" button. Here you will be asked to connect a USB stick with the appropriate update packages to your system, see connection X303.

Once you have connected the USB-stick to the system, click the "Copy" button on the Q-Desk, then an info dialog box will open. Now all update packages are transferred from the USB-stick to the power source.

During the copying process, the USB-stick must not be disconnected from the system.

As soon as the dialog window closes automatically, the copying process is finished and the copied update packages can be installed.

#### INFORMATION



**The update files, which are located on the USB stick, must not be stored in subfolders, but must be located in the root directory of the drive.**

### 7.1.2 Update via Upload

You are on the "Service" page under the section "Updates".

To transfer the update package to the system, first select the "Update via Upload" button. Here you are asked to select an update file with the file extension ".kar". Once you have selected the file, the file name (e.g. 37.250.002.200724.00210.18.11.3.0.2.0.kar) is displayed. Next you can confirm by clicking the button "Upload". The upload starts and shows 3 different steps (1. memory check, 2. bundle upload, 3. bundle copy). After successful completion you can select the bundle to be installed and start the update process by clicking the button "Install". Then the installation process starts.

#### INFORMATION



**The update files, which are located on the USB stick, must not be stored in subfolders, but must be located in the root directory of the drive.**

### 7.1.3 Configure/ delete update packages

Select the button "Configure". An overview of the available update packages will appear. First select an update from the list. Then the button "Install" appears. After you select it, a dialog box appears to confirm the installation start.

The info dialog provides information about the progress of the update process.

Do not switch off the system during the update process, otherwise data loss can occur.

The update may take a few minutes. After the update has been successfully installed, the system restarts automatically.

Alternatively, you can also delete an update package. To do this, press the "Delete" button in the configuration menu after you have selected a package from the list of update packages. To confirm the deletion process, click on "Delete" in the following dialogue. This removes the package from the system.

#### INFORMATION



**If the update was unsuccessful, a backup is brought in after a system restart to put the system in a defined state.**

---

#### INFORMATION



**The update process can be forced. For this purpose, a dialog box with the corresponding button appears. The installation in this way may only be carried out by trained personnel. It is imperative and conscientious to ensure that the system does not cut or mark and all components are connected.**

---

### 7.1.4 Synchronisation of system components

After replacing components (e.g. gas console), it is necessary to reinstall the currently installed software bundle. This automatically synchronises the software status of all components.

The storage location of software bundles on the machine is the main control (LP Plasma Control). The exchange of a component and a subsequent installation of a software bundle therefore causes a synchronisation to this version.

#### ATTENTION



**Replacing the main control unit with subsequent synchronisation of the software can result in an upgrade or downgrade of the entire system!**


---

## 7.2 Remote maintenance


By clicking the "Activate" button, your cutting system will establish a VPN remote maintenance connection to the Kjellberg customer support. Make the settings required in section 3.3.1 Remote maintenance.

### 7.3 Creating log files


In the "Log Files" section, you can create an archive for error analysis of the installation.



By pressing the button "Create" a log file archive is created. This contains all collected log files of your system. When you have clicked the button, you will see the following figure, which signals the start of the log file creation.



Wait until the creation is complete (duration: approx. 5 minutes). After the archive has been completed, you will see the following figure.



The orange card shows the created archive with timestamp and the size of the archive. If you click on this button, you can now download the archive with the log files (e. g. file name: "log\_files\_2020\_09\_25\_\_07\_48.kar") The created file (Kjellberg archive / kar) is encrypted and can be unpacked and analysed by the Kjellberg customer service. Please send it to your customer service employee.

## 8 Maintenance

On this page you will find information about the maintenance tasks to be performed and the wear of consumables

The screenshot displays the maintenance management interface for a Q-3000 machine. The interface is organized into four main sections, each with a numbered callout:

- 1 — Regular tasks:** A table showing scheduled maintenance tasks.
 









Task	Remaining days	Task created	Perform task
Cleaning request	179	04/19/2022, 10:18:04 AM	
Electrical inspection	364	04/19/2022, 10:18:08 AM	
- 2 — Individual tasks:** A table showing one-off maintenance tasks.
 

Task	Perform task
Gas test	
- 3 — Component statistics:** A table showing the number of shift changes for various components.
 

Component	Shift change
Flying contactor	0 Shift change
Main contactor	8 Shift change
PCB contactor	15 Shift change
Nozzle contactor	10 Shift change
- 4 — Log:** A table showing a history of performed maintenance tasks.
 

Maintenance task performed	Task	Task created	Task expired
04/19/2022, 10:18:08 AM	Electrical inspection	03/24/2019, 04:27:23 AM	03/23/2020, 04:27:23 AM
04/19/2022, 10:18:04 AM	Cleaning request	03/24/2019, 04:27:23 AM	09/20/2019, 03:27:23 AM


**Fig. 45: Maintenance with regular tasks, individual tasks and components statistics, also maintenance tasks carried out**

<b>1</b>	<b>Regular tasks</b>												
	<ul style="list-style-type: none"> <li>Perform the maintenance task when the remaining days have expired by clicking the icon  and following the instruction.</li> </ul> <p>red marking,                      The maintenance task is overdue yellow marking,                  The maintenance task has to be carried out in the next few days</p> <p>Regular Tasks</p> <table border="1" data-bbox="478 510 1380 629"> <thead> <tr> <th>Type</th> <th>Remaining Days</th> <th>Task Created</th> <th></th> </tr> </thead> <tbody> <tr> <td>Cleaning Request</td> <td>-402</td> <td>3/24/2019, 5:27:23 AM</td> <td></td> </tr> <tr> <td>Electrical Inspection</td> <td>-217</td> <td>3/24/2019, 5:27:23 AM</td> <td></td> </tr> </tbody> </table> <p>e. g.: The cleaning has been overdue for 5 days and the electrical inspection must be completed within 2 days at the latest.</p>	Type	Remaining Days	Task Created		Cleaning Request	-402	3/24/2019, 5:27:23 AM		Electrical Inspection	-217	3/24/2019, 5:27:23 AM	
Type	Remaining Days	Task Created											
Cleaning Request	-402	3/24/2019, 5:27:23 AM											
Electrical Inspection	-217	3/24/2019, 5:27:23 AM											
<b>2</b>	<b>Individual tasks</b>												
	<ul style="list-style-type: none"> <li>Perform the task if necessary, by clicking on the icon .</li> <li>The individual maintenance task – gas test - is not possible in the CNC control mode EtherCAT.</li> </ul>												
<b>3</b>	<b>Device lifespan</b>												
	<ul style="list-style-type: none"> <li>The lifespan has expired when the percentage bar has reached 100%</li> </ul>												
<b>4</b>	<b>Maintenance tasks carried out</b>												
	<ul style="list-style-type: none"> <li>Shows the logbook of the regularly performed maintenance tasks</li> </ul>												

## 9 Quick start

Connect to a terminal via the rear connection of your cutting system.

Open the address <http://192.168.5.1> in your browser.

Open the page setting via the icon . Make the following settings:

1. **Complex name:**

Select an unique complex name for your cutting system, e. g. serial number

2. **Control mode (manual or EtherCAT)**

3. **Network configuration at connection X306 (extern DHCP or extern-static)**

4. **System time**

Select your current time zone

Switch the power source OFF. Wait about 3 minutes.

Switch the cutting system on again.

Make the following settings:

1. **System time**

Set the correct date and time.

2. **Safety**

From the Network section, determine the IP address assigned via connection X306.

Configure the security certificate with the assigned IP address.

## 10 Index

<b>A</b>		<b>N</b>	
Add the Q-Source to a network .....	9	Network settings .....	19
<b>C</b>		<b>P</b>	
CNC control mode .....	18	Process parameter.....	25
Commissioning Q-Desk .....	5	<b>Q</b>	
Complex name.....	16	Q-Desk.....	4
Configure/delete update packages .....	34	Q-Desk via WLAN.....	8
Creating log files .....	35	Quick Start .....	38
Cutting data finder .....	27	<b>R</b>	
Cutting database version .....	29	Remote maintenance.....	20, 34
Cutting parameter .....	25	<b>S</b>	
<b>D</b>		Service .....	32
Detailed Information.....	12	Settings .....	15
<b>E</b>		Start Page .....	10
Energy efficiency .....	31	Synchronisation of system components .....	34
Energy saving .....	17	<b>T</b>	
<b>F</b>		Terms .....	4
Figures .....	4	Time .....	24
<b>H</b>		<b>U</b>	
Help.....	30	Update .....	32
HMI .....	see Q-Desk	Update via Upload .....	33
<b>L</b>		Update via USB .....	33
License conditions .....	6		

